


# INCOMPARABLE DEEP CYCLE AGM BATTERY

LDC12-105-G27-DT (12V105Ah)




## CHARACTERISTICS

Item	Specifications	
Voltage	12V	
Dimension	Length	306mm (12.0inches)
	Width	168mm (6.61inches)
	Container Height	208mm (8.19inches)
	Total Height	232.5mm (9.15inches)
Approx Weight	27.8kg (61.3lbs)	
Terminal	DT(5/16")	
Container Material	ABS	
Reserve Capacity	25A	195min
	75A	44min
Capacity	20HR	105Ah
	5HR	88Ah
Operating Temp. Range	Discharge	-20~55°C (-4~131°F)
	Charge	0~40°C (32~104°F)
	Storage	-15~40°C (5~104°F)



## APPLICATIONS

- Electric vehicle
- Golf cart
- Sightseeing
- Cleaning equipment
- AWP
- Mobility



Note: Terminal Torque Values in-b(Nm):97.28 130.0(11-14.7)



# INCOMPARABLE DEEP CYCLE AGM BATTERY

LDC12-105-G27-DT (12V105Ah)



## GENERAL FEATURES

### Stable initial capacity

- PAM/NAM amount optimization
- 4BS crystal paste mixing & curing technology
- Double layer separator technology
- Improved design electrolyte S.G.

### Improved PSoC cycling

- Carbon boost technology
- Mix carbon boost technology
- Targeting for higher level through carbon technology

### Excellent deep cycle performance

- Plate assembly pressure re-engineering
- New PAM/NAM recipe introduced
- Gel electrolyte technology
- Rare earth alloy
- Double layer separator technology
- Lower acid filling temperature

### Less water loss

- PAM/NAM amount optimization
- New PAM/NAM recipe introduced
- Rare earth alloy

### Delay PAM softening and shedding





- Plate assembly pressure re-engineering
- 4BS crystal paste mixing & curing technology
- Higher paste density

### Solve NAM sulphation

- Carbon boost technology
- Pre-sulfate technology

### Optimize electrolyte stratification

- Introduce AGM-GEL technology



Leoch International Technology Ltd.  
www.leoch.com

Leoch Batteries Pte Ltd  
www.leoch.sg

Leoch Battery Corporation  
www.leochamericas.com

Leoch Europe S.A.  
www.leoch.eu